

NEW
PRODUCTS
2020
EDITION 2



10105H | 10W | MR16 | GU10 | Die cast


new
DARK LIGHT
IP20



10105H/B



10105H/BS



050182 | Rings for 10105H | Aluminium

new
IP20



050182/B Black



050182/BS Brass



Example
10105H/B + 050182/W
+ 050182R/W



050182R | Round base for 10105H | Aluminium


new
IP20



050182R/B Black



050182R/BS Brass



Example
10105H/B + 050182/BS
+ 050182R/B



050182RA | Square base for 10105H | Aluminium


new
IP20



050182RA/B Black



050182RA/BS Brass



Example
10105H/B + 050182/BS
+ 050182RA/BS



050182RB | Double Square base for 10105H | Aluminium


new
IP20



050182RB/B Black



050182RB/BS Brass



Example
10105H/W + 050182/BS
+ 050182RB/W

| Order Code | Colour | Watts | Input | Class | | | | | Notes |
|------------|--------|-------|----------|-------|------|------|-------|----|-------|
| 10105H/W | White | 10W | 100-240V | | 15cm | 64mm | 100mm | 50 | - |
| 10105H/B | Black | 10W | 100-240V | | 15cm | 64mm | 100mm | 50 | - |
| 10105H/BS | Brass | 10W | 100-240V | | 15cm | 64mm | 100mm | 50 | - |


Recessed Spots Fixed




10105R1P | 50W | MR16 | GU10 | Aluminium



new
IP65



Prismatic glass.



E-A++


| Order Code | Colour | Watts | Input | Class | | | | | Notes |
|------------|--------|-------|----------|-------|------|------|-------|----|-----------------|
| 10105R1P/W | White | 50W | 100-240V | | 15cm | 68mm | 120mm | 50 | Prismatic glass |




10105R2P | 50W | MR16 | GU10 | Aluminium



new
DARK LIGHT
IP65



Prismatic glass.



E-A++

| Order Code | Colour | Watts | Input | Class | | | | | Notes |
|------------|--------|-------|----------|-------|------|------|-------|----|-----------------|
| 10105R2P/W | White | 50W | 100-240V | | 15cm | 82mm | 130mm | 50 | Prismatic glass |



10105E1 | 50W | MR16 | GU10 | Aluminium




new
DARK LIGHT
IP20



10105E1/B/GL



Complete with 0950GB.



E-A++

10105E1/W/B

| Order Code | Colour | Reflector | Watts | Input | Class | | | | | Notes |
|--------------|--------|-----------|-------|----------|-------|------|------|-------|----|-------|
| 10105E1/W/B | White | Black | 50W | 100-240V | | 15cm | 62mm | 100mm | 50 | - |
| 10105E1/B/GL | Black | Gold | 50W | 100-240V | | 15cm | 62mm | 100mm | 50 | - |



A-A+ 10108D/W/W

10108D | 8W | COB LED | Die cast


new
DARK LIGHT
IP20



10108D/B/W



10108D/BS/W



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | Lighting | Height | Box | Notes |
|-------------|--------|--------------|---------|-------|------------|------------|-------|-------|----------|--------|-----|----------------------------|
| 10108D/W/W | White | Warm white | 3000K | 8W | 600lm | 36° | 230V | □ | 73mm | 90mm | 50 | Complete with 300mA driver |
| 10108D/B/W | Black | Warm white | 3000K | 8W | 600lm | 36° | 230V | □ | 73mm | 90mm | 50 | Complete with 300mA driver |
| 10108D/BS/W | Brass | Warm white | 3000K | 8W | 600lm | 36° | 230V | □ | 73mm | 90mm | 50 | Complete with 300mA driver |



A-A+ 10108R/W/W

10108R | 8W | COB LED | Die cast

new
IP20



10108R/B/W




| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | Lighting | Height | Box | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|----------|--------|-----|----------------------------|
| 10108R/W/W | White | Warm white | 3000K | 8W | 560lm | 60° | 230V | □ | 68mm | 50mm | 50 | Complete with 350mA driver |
| 10108R/B/W | Black | Warm white | 3000K | 8W | 560lm | 60° | 230V | □ | 68mm | 50mm | 50 | Complete with 350mA driver |



A-A+ 10108A/W/W

10108A | 8W | COB LED | Die cast | Assymetric reflector

new
DARK LIGHT
IP20



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | Lighting | Height | Box | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|----------|--------|-----|----------------------------|
| 10108A/W/W | White | Warm white | 3000K | 8W | 560lm | 50° | 230V | □ | 68mm | 85mm | 50 | Complete with 350mA driver |



A-A+ 50108A/W/W


50108A | 8W | COB LED | Die cast | Assymetric reflector

new
DARK LIGHT
IP20



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | Lighting | Height | Box | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|----------|--------|-----|----------------------------|
| 50108A/W/W | White | Warm white | 3000K | 8W | 560lm | 50° | 230V | □ | 73x73mm | 85mm | 50 | Complete with 350mA driver |



Recessed Spots Fixed LED



A-A**

10108D1 | 8W | COB LED | Die cast

new
DARK LIGHT
IP20




| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | | Notes |
|-------------|--------|--------------|---------|-------|------------|------------|-------|-------|------|-------|----|----------------------------|
| 10108D1/W/W | White | Warm white | 3000K | 8W | 560lm | 36° | 230V | | 73mm | 105mm | 50 | Complete with 300mA driver |




A-A** 10106DC/W/W

10106DC | 6W | COB LED | Die cast

new
DARK LIGHT
IP20



Suitable for 89008 driver.





| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | | Notes |
|-------------|--------|--------------|---------|-------|------------|------------|-------|-------|------|------|------|--------------------------|
| 10106DC/W/W | White | Warm white | 3000K | 6W | 570lm | 36° | 350mA | | 40cm | 55mm | 75mm | 50 Requires 350mA driver |
| 10106DC/B/W | Black | Warm white | 3000K | 6W | 570lm | 36° | 350mA | | 40cm | 55mm | 75mm | 50 Requires 350mA driver |




A-A** 10112DC/W/W

10112DC | 12W | COB LED | Die cast

new
DARK LIGHT
IP20



Suitable for 89015A driver.




| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | | Notes |
|-------------|--------|--------------|---------|-------|------------|------------|-------|-------|------|------|------|--------------------------|
| 10112DC/W/W | White | Warm white | 3000K | 12W | 1100lm | 36° | 700mA | | 40cm | 75mm | 90mm | 50 Requires 700mA driver |
| 10112DC/B/W | Black | Warm white | 3000K | 12W | 1100lm | 36° | 700mA | | 40cm | 75mm | 90mm | 50 Requires 700mA driver |




A-A** 10118DC/W/W

10118DC | 18W | COB LED | Die cast

new
DARK LIGHT
IP20



Suitable for 89030C driver.



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | | Notes |
|-------------|--------|--------------|---------|-------|------------|------------|-------|-------|------|------|-------|--------------------------|
| 10118DC/W/W | White | Warm white | 3000K | 18W | 1750lm | 36° | 500mA | | 40cm | 94mm | 100mm | 30 Requires 500mA driver |
| 10118DC/B/W | Black | Warm white | 3000K | 18W | 1750lm | 36° | 500mA | | 40cm | 94mm | 100mm | 30 Requires 500mA driver |



A-A⁺⁺


10106DH | 6W | COB LED | Die cast

Complete with honeycomb.

new
DARK LIGHT
IP20

90 CRI
DIMMABLE
CE
5 YEAR

LED BUILT IN
QUICK FIX



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | | | Notes |
|-------------|--------|--------------|---------|-------|------------|------------|-------|-------|------|------|------|----|-----------------------|
| 10106DH/W/W | White | Warm white | 3000K | 6W | 500lm | 36° | 350mA | | 40cm | 63mm | 60mm | 50 | Requires 350mA driver |



A-A⁺⁺


10112DH | 12W | COB LED | Die cast

Complete with honeycomb.

new
DARK LIGHT
IP20

90 CRI
DIMMABLE
CE
5 YEAR

LED BUILT IN
QUICK FIX



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | | | Notes |
|-------------|--------|--------------|---------|-------|------------|------------|-------|-------|------|------|------|----|-----------------------|
| 10112DH/W/W | White | Warm white | 3000K | 12W | 1000lm | 36° | 700mA | | 40cm | 72mm | 60mm | 50 | Requires 700mA driver |



A-A⁺⁺


10118DH | 18W | COB LED | Die cast

Complete with honeycomb.

new
DARK LIGHT
IP20


90 CRI
DIMMABLE
CE
5 YEAR

LED BUILT IN
QUICK FIX



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | | | Notes |
|-------------|--------|--------------|---------|-------|------------|------------|-------|-------|------|------|------|----|-----------------------|
| 10118DH/W/W | White | Warm white | 3000K | 18W | 1500lm | 36° | 500mA | | 40cm | 91mm | 70mm | 30 | Requires 500mA driver |


Recessed Spots Fixed LED




A-A++

10101LA | 2W | LED | Die cast

new
IP44



Suitable for 89004A driver.



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | ⏸ | 💡 | ⏏ | 📦 | Notes |
|-------------|--------|--------------|---------|-------|------------|------------|-------|-------|-------|------|------|-----|-----------------------|
| 10101LA/W/W | White | Warm white | 3000K | 2W | 540lm | 36° | 700mA | ⬢ | 200cm | 27mm | 55mm | 100 | Requires 700mA driver |




A-A++


10108H/W/W

10108H | 8W | COB LED | Die cast

new
DARK LIGHT
IP54



10108H/B/W



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | 💡 | ⏏ | 📦 | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|------|------|----|----------------------------|
| 10108H/W/W | White | Warm white | 3000K | 8W | 600lm | 36° | 230V | ⬢ | 75mm | 70mm | 50 | Complete with 200mA driver |
| 10108H/B/W | Black | Warm white | 3000K | 8W | 600lm | 36° | 230V | ⬢ | 75mm | 70mm | 50 | Complete with 200mA driver |




A-A++


10107DF | 7W | SMD LED | Fire Rated | Metal

Complete with white ring.

new
IP65



Optional rings.
Order code 050178/B Black
050178/C Chrome



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | 💡 | ⏏ | 📦 | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|------|------|----|-------------------------------|
| 10107DF/W | White | Warm white | 3000K | 7W | 500lm | 60° | 230V | ⬤ | 65mm | 90mm | 36 | Complete with dimmable driver |



A-A** 50106B/W/W


50106B | 6W | COB LED | Die cast




new
IP20



50106B/B/W



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|---------|------|----|----------------------------|
| 50106B/W/W | White | Warm white | 3000K | 6W | 480lm | 38° | 230V | | 50x45mm | 70mm | 50 | Complete with 135mA driver |
| 50106B/B/W | Black | Warm white | 3000K | 6W | 480lm | 38° | 230V | | 50x45mm | 70mm | 50 | Complete with 135mA driver |




A-A** 50306B/W/W

50306B | 12W | COB LED | Die cast



new
IP20



50306B/B/W



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|----------|------|----|----------------------------|
| 50306B/W/W | White | Warm white | 3000K | 12W | 960lm | 38° | 230V | | 124x45mm | 70mm | 48 | Complete with 300mA driver |
| 50306B/B/W | Black | Warm white | 3000K | 12W | 960lm | 38° | 230V | | 124x45mm | 70mm | 48 | Complete with 300mA driver |



A-A** 50406B/W/W


50406B | 16W | COB LED | Die cast



new
IP20



50406B/B/W



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|---------|------|----|----------------------------|
| 50406B/W/W | White | Warm white | 3000K | 16W | 1280lm | 38° | 230V | | 85x85mm | 70mm | 36 | Complete with 400mA driver |
| 50406B/B/W | Black | Warm white | 3000K | 16W | 1280lm | 38° | 230V | | 85x85mm | 70mm | 36 | Complete with 400mA driver |



A-A** 50506B/W/W

50506B | 20W | COB LED | Die cast



new
IP20



50506B/B/W



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|----------|------|----|----------------------------|
| 50506B/W/W | White | Warm white | 3000K | 20W | 1600lm | 38° | 230V | | 200x45mm | 70mm | 20 | Complete with 500mA driver |
| 50506B/B/W | Black | Warm white | 3000K | 20W | 1600lm | 38° | 230V | | 200x45mm | 70mm | 20 | Complete with 500mA driver |

Recessed Spots Fixed LED

50906B | 36W | COB LED | Die cast




A-A⁺⁺ 50906B/W/W

new
IP20



50906B/B/W



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | | Notes | |
|-------------------|--------|--------------|---------|-------|------------|------------|-------|-------|--|-----------|------|-------|----------------------------|
| 50906B/W/W | White | Warm white | 3000K | 36W | 2880lm | 38° | 230V | | | 125x125mm | 70mm | 18 | Complete with 850mA driver |
| 50906B/B/W | Black | Warm white | 3000K | 36W | 2880lm | 38° | 230V | | | 125x125mm | 70mm | 18 | Complete with 850mA driver |

50006B | 40W | COB LED | Die cast




A-A⁺⁺ 50006B/W/W

new
IP20




50006B/B/W



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | | Notes | |
|-------------------|--------|--------------|---------|-------|------------|------------|-------|-------|--|----------|------|-------|-----------------------------|
| 50006B/W/W | White | Warm white | 3000K | 40W | 3200lm | 38° | 230V | | | 386x45mm | 70mm | 15 | Complete with 1000mA driver |
| 50006B/B/W | Black | Warm white | 3000K | 40W | 3200lm | 38° | 230V | | | 386x45mm | 70mm | 15 | Complete with 1000mA driver |

Recessed Spots Adjustable

11105A1 | 50W | MR16 | GU10 | Aluminium



E-A⁺⁺

new
IP20



Complete with 0950G.




| Order Code | Colour | Watts | Input | Class | | | | | Notes | |
|--------------------|---------------|-------|----------|-------|------|--|------|-------|-------|---|
| 11105A1/BBS | Brushed brass | 50W | 100-240V | | 15cm | | 68mm | 120mm | 100 | - |



11102DB | 2W | COB LED | Super narrow beam | Die cast

new
IP20





A-A++

| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | ⚡ | 🔧 | 📏 | 📦 | Notes |
|-------------|--------|--------------|---------|-------|------------|------------|-------|-------|------|------|------|-----|-----------------------|
| 11102DB/W/W | White | Warm white | 3000K | 2W | 140lm | 3° | 700mA | ⬡ | 40cm | 52mm | 65mm | 100 | Requires 700mA driver |



11110E | 10W | COB LED | Die cast

new
DARK LIGHT
IP20





A-A++ 11110E/W/W

| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | 🔧 | 📏 | 📦 | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|------|------|----|----------------------------|
| 11110E/W/W | White | Warm white | 3000K | 10W | 850lm | 30° | 230V | ⬡ | 85mm | 80mm | 40 | Complete with 250mA driver |
| 11110E/B/W | Black | Warm white | 3000K | 10W | 850lm | 30° | 230V | ⬡ | 85mm | 80mm | 40 | Complete with 250mA driver |



11120E | 20W | COB LED | Die cast

new
DARK LIGHT
IP20





A-A++ 11120E/W/W

| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | 🔧 | 📏 | 📦 | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|-------|-------|----|----------------------------|
| 11120E/W/W | White | Warm white | 3000K | 20W | 1700lm | 30° | 230V | ⬡ | 140mm | 110mm | 20 | Complete with 500mA driver |
| 11120E/B/W | Black | Warm white | 3000K | 20W | 1700lm | 30° | 230V | ⬡ | 140mm | 110mm | 20 | Complete with 500mA driver |



11130E | 30W | COB LED | Die cast

new
DARK LIGHT
IP20



A-A++ 11130E/W/W

| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | 🔧 | 📏 | 📦 | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|-------|------|----|----------------------------|
| 11130E/W/W | White | Warm white | 3000K | 30W | 2550lm | 30° | 230V | ⬡ | 200mm | 95mm | 10 | Complete with 750mA driver |
| 11130E/B/W | Black | Warm white | 3000K | 30W | 2550lm | 30° | 230V | ⬡ | 200mm | 95mm | 10 | Complete with 750mA driver |


Recessed Spots Adjustable LED




A-A++

11106M | 6W | COB LED | Die cast

new
IP20



Suitable for 89008 driver.




| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | ⏏ | ⚡ | ⏏ | 📦 | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|---|---|---|---|-----------------------|
| 11106M/W/W | White | Warm white | 3000K | 6W | 540lm | 24° | 350mA | ⚡ | ⏏ | ⚡ | ⏏ | 📦 | Requires 350mA driver |




A-A++

51106M | 6W | COB LED | Die cast

new
IP20



Suitable for 89008 driver.




| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | ⏏ | ⚡ | ⏏ | 📦 | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|---|---|---|---|-----------------------|
| 51106M/W/W | White | Warm white | 3000K | 6W | 540lm | 24° | 350mA | ⚡ | ⏏ | ⚡ | ⏏ | 📦 | Requires 350mA driver |




A-A++

51206M | 2x6W | COB LED | Die cast

new
IP20



Suitable for 2x89008 driver.




| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | ⏏ | ⚡ | ⏏ | 📦 | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|---|---|---|---|--------------------------|
| 51206M/W/W | White | Warm white | 3000K | 2x6W | 2x540lm | 24° | 350mA | ⚡ | ⏏ | ⚡ | ⏏ | 📦 | Requires 2x350mA drivers |




A-A++

51306M | 3x6W | COB LED | Die cast

new
IP20



Suitable for 3x89008 driver.




| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | ⏏ | ⚡ | ⏏ | 📦 | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|---|---|---|---|--------------------------|
| 51306M/W/W | White | Warm white | 3000K | 3x6W | 3x540lm | 24° | 350mA | ⚡ | ⏏ | ⚡ | ⏏ | 📦 | Requires 3x350mA drivers |

Recessed Spots Adjustable LED



A-A++ 51406B/W/W


51406B | 16W | COB LED | Die cast



new
IP20



51406B/B/W




| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|-----------|-------|----|----------------------------|
| 51406B/W/W | White | Warm white | 3000K | 16W | 1280lm | 38° | 230V | | 100x100mm | 100mm | 30 | Complete with 400mA driver |
| 51406B/B/W | Black | Warm white | 3000K | 16W | 1280lm | 38° | 230V | | 100x100mm | 100mm | 30 | Complete with 400mA driver |



A-A++ 51506B/W/W

51506B | 20W | COB LED | Die cast



new
IP20



51506B/B/W



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|----------|------|----|----------------------------|
| 51506B/W/W | White | Warm white | 3000K | 20W | 1600lm | 38° | 230V | | 212x55mm | 70mm | 30 | Complete with 500mA driver |
| 51506B/B/W | Black | Warm white | 3000K | 20W | 1600lm | 38° | 230V | | 212x55mm | 70mm | 30 | Complete with 500mA driver |

Downlights Fixed LED



A-A++ 10116FD/W/BS

10116FD | 16W | SMD 2835 | Die cast



new
DARK LIGHT
IP20



10116FD/B/BS



| Order Code | Colour | Reflector | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | | | | Notes |
|--------------|--------|-----------|--------------|---------|-------|------------|-------|-------|-------|------|----|----------------------------|
| 10116FD/W/BS | White | Brass | Warm white | 3000K | 16W | 800lm | 230V | | 155mm | 80mm | 20 | Complete with 300mA driver |
| 10116FD/B/BS | Black | Brass | Warm white | 3000K | 16W | 800lm | 230V | | 155mm | 80mm | 20 | Complete with 300mA driver |


Downlights Fixed LED



10110U | 10W | SMD 2835 | Die cast

80 CRI

UGR19




| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | | Notes |
|-------------------|--------|--------------|---------|-------|------------|------------|-------|-------|------|------|----|----------------------------|
| 10110U/W/C | White | Cool white | 4000K | 10W | 750lm | 100° | 230V | | 86mm | 55mm | 40 | Complete with 200mA driver |
| 10110U/W/W | White | Warm white | 3000K | 10W | 750lm | 100° | 230V | | 86mm | 55mm | 40 | Complete with 200mA driver |



10124U | 24W | SMD 2835 | Die cast

80 CRI

UGR19




| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | | Notes |
|-------------------|--------|--------------|---------|-------|------------|------------|-------|-------|-------|------|----|----------------------------|
| 10124U/W/C | White | Cool white | 4000K | 24W | 1800lm | 100° | 230V | | 160mm | 55mm | 20 | Complete with 500mA driver |
| 10124U/W/W | White | Warm white | 3000K | 24W | 1800lm | 100° | 230V | | 160mm | 55mm | 20 | Complete with 500mA driver |




10130U | 30W | SMD 2835 | Die cast

80 CRI

UGR19



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | | Notes |
|-------------------|--------|--------------|---------|-------|------------|------------|-------|-------|-------|------|----|----------------------------|
| 10130U/W/C | White | Cool white | 4000K | 30W | 2250lm | 100° | 230V | | 205mm | 65mm | 20 | Complete with 750mA driver |
| 10130U/W/W | White | Warm white | 3000K | 30W | 2250lm | 100° | 230V | | 205mm | 65mm | 20 | Complete with 750mA driver |
| 10130U/B/C | Black | Cool white | 4000K | 30W | 2250lm | 100° | 230V | | 205mm | 65mm | 20 | Complete with 750mA driver |
| 10130U/B/W | Black | Warm white | 3000K | 30W | 2250lm | 100° | 230V | | 205mm | 65mm | 20 | Complete with 750mA driver |



10107UV | 7W | SMD 2835 | Die cast


Adjustable colour temperature.

new
IP44

LED BUILT IN
80 CRI
CE
3 YEAR
UGR19




CCT Adjustable
6000K-4000K-3000K



A-A

| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | Lighting | Height | Depth | Quantity | Notes |
|------------|--------|--------------------------------|-------------------|-------|------------|------------|-------|-------|----------|--------|-------|----------------------------|-------|
| 10107UV/W | White | Daylight-Cool white-Warm white | 6000K-4000K-3000K | 7W | 525lm | 100° | 230V | □ | 70mm | 60mm | 40 | Complete with 180mA driver | |



10113UV | 13W | SMD 2835 | Die cast


Adjustable colour temperature.

new
IP44

LED BUILT IN
80 CRI
CE
3 YEAR
UGR19



CCT Adjustable
6000K-4000K-3000K



A-A

| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | Lighting | Height | Depth | Quantity | Notes |
|------------|--------|--------------------------------|-------------------|-------|------------|------------|-------|-------|----------|--------|-------|----------------------------|-------|
| 10113UV/W | White | Daylight-Cool white-Warm white | 6000K-4000K-3000K | 13W | 975lm | 100° | 230V | □ | 120mm | 70mm | 20 | Complete with 300mA driver | |



10120UV | 20W | SMD 2835 | Die cast


Adjustable colour temperature.

new
IP44

LED BUILT IN
80 CRI
CE
3 YEAR
UGR19



CCT Adjustable
6000K-4000K-3000K



A-A

| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | Lighting | Height | Depth | Quantity | Notes |
|------------|--------|--------------------------------|-------------------|-------|------------|------------|-------|-------|----------|--------|-------|----------------------------|-------|
| 10120UV/W | White | Daylight-Cool white-Warm white | 6000K-4000K-3000K | 20W | 1500lm | 100° | 230V | □ | 170mm | 75mm | 20 | Complete with 550mA driver | |



10130UV | 30W | SMD 2835 | Die cast


Adjustable colour temperature.

new
IP44

LED BUILT IN
80 CRI
CE
3 YEAR
UGR19



CCT Adjustable
6000K-4000K-3000K



A-A


| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | Lighting | Height | Depth | Quantity | Notes |
|------------|--------|--------------------------------|-------------------|-------|------------|------------|-------|-------|----------|--------|-------|----------------------------|-------|
| 10130UV/W | White | Daylight-Cool white-Warm white | 6000K-4000K-3000K | 30W | 2250lm | 100° | 230V | □ | 210mm | 80mm | 20 | Complete with 700mA driver | |

LED Strips & Profiles



7820 | 4,8W/m | SMD 2216 | 70LEDs/m

3M Double face adhesive.



Supplied in 5m roll.



Dimming remote control. Order code 20030.



A-A++


new
IP20

| Order Code | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | | Notes |
|------------|------------------|---------|--------|------------|--------|-------|----|------------------------|
| 7820/UW | Ultra warm white | 2200K | 4,8W/m | 384lm/m | 24V DC | III | 40 | Requires 24V DC driver |



7835 | 14,4W/m | SMD 2835 | 70LEDs/m


3M Double face adhesive.



Supplied in 5m roll.



Dimming remote control. Order code 20030.



A-A++


new
IP20

| Order Code | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | | Notes |
|------------|------------------|---------|---------|------------|--------|-------|----|------------------------|
| 7835/UW | Ultra warm white | 2200K | 14,4W/m | 1060lm/m | 24V DC | III | 40 | Requires 24V DC driver |



7844 | 11W/m | COB LED

3M Double face adhesive.



Supplied in 5m roll.



Dimming remote control. Order code 20030.




A-A++

new
IP20

| Order Code | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | | Notes |
|------------|------------------|---------|-------|------------|--------|-------|----|------------------------|
| 7844/C | Cool white | 4000K | 11W/m | 1045lm/m | 24V DC | III | 20 | Requires 24V DC driver |
| 7844/W | Warm white | 3000K | 11W/m | 935lm/m | 24V DC | III | 20 | Requires 24V DC driver |
| 7844/EW | Extra warm white | 2700K | 11W/m | 935lm/m | 24V DC | III | 20 | Requires 24V DC driver |



7841 | 14,4W/m | SMD 2835 | 140LEDs | Silicone



Supplied in 5m roll.




Fixing clips. Order code 7841F.



A-A++

new
IP66

| Order Code | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | | Notes |
|------------|--------------|---------|---------|------------|--------|-------|---|------------------------|
| 7841/C | Cool white | 4000K | 14,4W/m | 360lm/m | 24V DC | III | 1 | Requires 24V DC driver |
| 7841/W | Warm white | 3000K | 14,4W/m | 320lm/m | 24V DC | III | 1 | Requires 24V DC driver |



7868 | 3,4W/m | LED | 30LEDs/m | Festive lighting | PVC

Connect maximum 100m / Cut every 1m.



new
IP65

LED BUILT IN **CE** **2 YEAR**



Supplied in 50m roll.



7868C
Connector + shrinking sleeve.



7868P
230V Power supply for 50m.



7868F Fixing clip.



7868E End cup.

| Order Code | Light Colour | CCT (K) | Watts | Input | Class | | Notes |
|----------------|------------------|---------|--------|-------|--------------------------|----------|----------------------------------|
| 7868/D | Daylight | 6000K | 3,4W/m | 230V | <input type="checkbox"/> | 50m roll | Complete with 7868P power supply |
| 7868/EW | Extra warm white | 2700K | 3,4W/m | 230V | <input type="checkbox"/> | 50m roll | Complete with 7868P power supply |



7866/D
Supplied in 10m roll.

7866 | 7W | LED | 100LEDs | Festive lighting | PVC

Connect maximum 100m.



new
IP54

LED BUILT IN **CE** **2 YEAR**



7866/EW
Supplied in 10m roll.



7866/BL
Supplied in 10m roll.



Optional 5m waterproof extension cable. Order code 7866E.



| Order Code | Light Colour | CCT (K) | Watts | Input | Class | | Notes |
|----------------|------------------|---------|-------|-------|--------------------------|----|----------------------------|
| 7866/D | Daylight | 6000K | 7W | 230V | <input type="checkbox"/> | 10 | Complete with power supply |
| 7866/EW | Extra warm white | 2700K | 7W | 230V | <input type="checkbox"/> | 10 | Complete with power supply |
| 7866/BL | Blue | - | 7W | 230V | <input type="checkbox"/> | 10 | Complete with power supply |



7866F/D
Supplied in 10m roll.

7866F | 7W | LED | 100LEDs | Flashing lights | Festive lighting | PVC

Connect maximum 100m.



new
IP54

LED BUILT IN **CE** **2 YEAR**



7866F/EW
Supplied in 10m roll.



7866F/BL
Supplied in 10m roll.



Optional 5m waterproof extension cable. Order code 7866E.



| Order Code | Light Colour | CCT (K) | Watts | Input | Class | | Notes |
|-----------------|------------------|---------|-------|-------|--------------------------|----|----------------------------|
| 7866F/D | Daylight | 6000K | 7W | 230V | <input type="checkbox"/> | 10 | Complete with power supply |
| 7866F/EW | Extra warm white | 2700K | 7W | 230V | <input type="checkbox"/> | 10 | Complete with power supply |
| 7866F/BL | Blue | - | 7W | 230V | <input type="checkbox"/> | 10 | Complete with power supply |

Track Spots




A-A** 65105NT/BBS

65105NT | 10W | MR16 | GU10 | Aluminium

new
DARK LIGHT
IP20



65105NT/MG



| Order Code | Colour | Reflector | Watts | Input | Class | | Notes |
|-------------|---------------|-----------|-------|----------|-------|----|-------|
| 65105NT/BBS | Brushed brass | Black | 10W | 100-240V | | 24 | - |
| 65105NT/MG | Metal grey | Black | 10W | 100-240V | | 24 | - |





A-A** 65524T/W/W


65524T | 12W | COB LED | Aluminium

Honeycomb.


new
DARK LIGHT
IP20



65524T/B/W



65524T/BBS/W




| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | Notes |
|--------------|---------------|--------------|---------|-------|------------|------------|-------|-------|----|----------------------------|
| 65524T/W/W | White | Warm white | 3000K | 12W | 1000lm | 36° | 230V | | 24 | Complete with 250mA driver |
| 65524T/B/W | Black | Warm white | 3000K | 12W | 1000lm | 36° | 230V | | 24 | Complete with 250mA driver |
| 65524T/BBS/W | Brushed brass | Warm white | 3000K | 12W | 1000lm | 36° | 230V | | 24 | Complete with 250mA driver |




A-A** 65306BT/W/W

65306BT | 12W | COB LED | Die cast

new
IP20



65306BT/B/W




| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | Notes |
|-------------|--------|--------------|---------|-------|------------|------------|-------|-------|----|----------------------------|
| 65306BT/W/W | White | Warm white | 3000K | 12W | 960lm | 38° | 230V | | 30 | Complete with 300mA driver |
| 65306BT/B/W | Black | Warm white | 3000K | 12W | 960lm | 38° | 230V | | 30 | Complete with 300mA driver |




A-A** 65506BT/W/W

65506BT | 20W | COB LED | Die cast

new
IP20



65506BT/B/W




| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | Notes |
|-------------|--------|--------------|---------|-------|------------|------------|-------|-------|----|----------------------------|
| 65506BT/W/W | White | Warm white | 3000K | 20W | 1600lm | 38° | 230V | | 20 | Complete with 500mA driver |
| 65506BT/B/W | Black | Warm white | 3000K | 20W | 1600lm | 38° | 230V | | 20 | Complete with 500mA driver |



A-A** 65024TA/W/W


65024TA | 15x1W | LED | Linear system | Aluminium



new
IP20



65024TA/B/W



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | Notes |
|-------------|--------|--------------|---------|-------|------------|------------|-------|-------|----|--------|
| 65024TA/W/W | White | Warm white | 3000K | 15x1W | 1200lm | 30° | 230V | | 10 | AC LED |
| 65024TA/B/W | Black | Warm white | 3000K | 15x1W | 1200lm | 30° | 230V | | 10 | AC LED |

Tracks



40002A/W


40002A | 16A | 2m Square track | 3-phase | Aluminium




new



40002A/B



| Order Code | Colour | Input | Ampere | Class | | Notes |
|------------|--------|----------|--------|-------|----|-------|
| 40002A/W | White | 100-240V | 16A | | 10 | - |
| 40002A/B | Black | 100-240V | 16A | | 10 | - |



38150AR | 40W | SMD 2835 | Recessed linear system | Aluminium

Can be connected in line.

Complete with 4pcs fixing clips, 4pcs connectors & 2pcs end cups.

A-A**

| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | | Notes |
|-------------|--------|--------------|---------|-------|------------|------------|-------|-------|-----------|------|----|-----------------------------|
| 38150AR/W/C | White | Cool white | 4000K | 40W | 3600lm | 120° | 230V | | 1200x68mm | 80mm | 12 | Complete with 1000mA driver |
| 38150AR/W/W | White | Warm white | 3000K | 40W | 3600lm | 120° | 230V | | 1200x68mm | 80mm | 12 | Complete with 1000mA driver |



38150BR | 40W | SMD 3030 | Recessed linear system | Aluminium

Can be connected in line.


Complete with 4pcs fixing clips, 4pcs connectors & 2pcs end cups.

A-A**

38150BR/W/C

38150BR/B/C

| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | | Notes |
|-------------|--------|--------------|---------|-------|------------|------------|-------|-------|-----------|------|----|-----------------------------|
| 38150BR/W/C | White | Cool white | 4000K | 40W | 4000lm | 34° | 230V | | 1280x68mm | 80mm | 12 | Complete with 1000mA driver |
| 38150BR/W/W | White | Warm white | 3000K | 40W | 4000lm | 34° | 230V | | 1280x68mm | 80mm | 12 | Complete with 1000mA driver |
| 38150BR/B/C | Black | Cool white | 4000K | 40W | 4000lm | 34° | 230V | | 1280x68mm | 80mm | 12 | Complete with 1000mA driver |
| 38150BR/B/W | Black | Warm white | 3000K | 40W | 4000lm | 34° | 230V | | 1280x68mm | 80mm | 12 | Complete with 1000mA driver |



38140AU | 40W Downlight + Uplight | SMD 2835 | Linear suspended | Aluminium

Complete with 3m suspension kit.

A-A**

38140AU/W/W

38140AU/B/W

| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | | Notes |
|-------------|--------|--------------|---------|-------|------------|-------|-------|----|----------------------------|
| 38140AU/W/C | White | Cool white | 4000K | 40W | 3600lm | 230V | | 12 | Complete with 900mA driver |
| 38140AU/W/W | White | Warm white | 3000K | 40W | 3600lm | 230V | | 12 | Complete with 900mA driver |
| 38140AU/B/C | Black | Cool white | 4000K | 40W | 3600lm | 230V | | 12 | Complete with 900mA driver |
| 38140AU/B/W | Black | Warm white | 3000K | 40W | 3600lm | 230V | | 12 | Complete with 900mA driver |



A-A** 38152R/W/C

new
IP20

38152R | 40W | LED | Recessed linear system | Aluminium

Can be connected in line.



38152R/W/W



Complete with 4pcs fixing clips, 4pcs connectors & 2pcs end cups.



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|-----------|------|----|-----------------------------|
| 38152R/W/C | White | Cool white | 4000K | 40W | 3600lm | 120° | 230V | ⊕ | 1200x60mm | 80mm | 12 | Complete with 1000mA driver |
| 38152R/W/W | White | Warm white | 3000K | 40W | 3600lm | 120° | 230V | ⊕ | 1200x60mm | 80mm | 12 | Complete with 1000mA driver |



A-A** 38152RC/W/C

new
IP20


38152RC | 8W | LED | Corner for 38152R | Aluminium



38152RC/W/W



Complete with 4pcs fixing clips, 4pcs connectors & 2pcs end cups.



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | | Notes |
|-------------|--------|--------------|---------|-------|------------|------------|-------|-------|--------------|------|----|----------------------------|
| 38152RC/W/C | White | Cool white | 4000K | 8W | 720lm | 120° | 230V | ⊕ | 160x160x60mm | 80mm | 10 | Complete with 250mA driver |
| 38152RC/W/W | White | Warm white | 3000K | 8W | 720lm | 120° | 230V | ⊕ | 160x160x60mm | 80mm | 10 | Complete with 250mA driver |



A-A** 38152RL/W/C

new
IP20


38152RL | 10W | LED | Ceiling to wall corner for 38152R | Aluminium



38152RL/W/W



Complete with 4pcs fixing clips, 4pcs connectors & 2pcs end cups.



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | | Notes |
|-------------|--------|--------------|---------|-------|------------|------------|-------|-------|--------------|------|---|----------------------------|
| 38152RL/W/C | White | Cool white | 4000K | 10W | 900lm | 120° | 230V | ⊕ | 100x100x60mm | 80mm | 6 | Complete with 200mA driver |
| 38152RL/W/W | White | Warm white | 3000K | 10W | 900lm | 120° | 230V | ⊕ | 100x100x60mm | 80mm | 6 | Complete with 200mA driver |

Wall & Ceiling



12105E1 | 10W | MR16 | GU10 | Aluminium


















A-A⁺⁺ 12105E1/B/GL

12105E1/W/B

| Order Code | Colour | Reflector | Watts | Input | Class |  | Notes |
|--------------|--------|-----------|-------|----------|---|---|-------|
| 12105E1/W/B | White | Black | 10W | 100-240V |  | 20 | - |
| 12105E1/B/GL | Black | Gold | 10W | 100-240V |  | 20 | - |



12105E2 | 10W | MR16 | GU10 | Aluminium





















A-A⁺⁺ 12105E2/B/GL




12105E2/W/B



| Order Code | Colour | Reflector | Watts | Input | Class |  | Notes |
|--------------|--------|-----------|-------|----------|---|---|-------|
| 12105E2/W/B | White | Black | 10W | 100-240V |  | 20 | - |
| 12105E2/B/GL | Black | Gold | 10W | 100-240V |  | 20 | - |




12105E3 | 10W | MR16 | GU10 | Aluminium








A-A⁺⁺ 12105E3/B/GL

12105E3/W/B

| Order Code | Colour | Reflector | Watts | Input | Class |  | Notes |
|--------------|--------|-----------|-------|----------|---|---|-------|
| 12105E3/W/B | White | Black | 10W | 100-240V |  | 20 | - |
| 12105E3/B/GL | Black | Gold | 10W | 100-240V |  | 20 | - |




A-A++ 12105N/BBS

12105N | 10W | MR16 | GU10 | Aluminium


new
DARK LIGHT
IP20



12105N/MG



| Order Code | Colour | Reflector | Watts | Input | Class | | Notes |
|------------|---------------|-----------|-------|----------|-------|----|-------|
| 12105N/BBS | Brushed brass | Black | 10W | 100-240V | | 36 | - |
| 12105N/MG | Metal grey | Black | 10W | 100-240V | | 36 | - |




A-A++ 12105M/BBS + 050112/B



12105M | 10W | MR16 | GU10 | Aluminium + plastic reflector

Reflector must be ordered separately.

new
DARK LIGHT
IP20



12105M/MG + 050112/B



| Order Code | Colour | Watts | Input | Class | | Notes |
|------------|---------------|-------|----------|-------|----|-------|
| 12105M/BBS | Brushed brass | 10W | 100-240V | | 20 | - |
| 12105M/MG | Metal grey | 10W | 100-240V | | 20 | - |




A-A++ 12105MA/W + 050112/GL


12105MA | 10W | MR16 | GU10 | Aluminium + plastic reflector

Reflector must be ordered separately.

new
DARK LIGHT
IP20





12105MA/B + 050112/BS



12105MA/BBS + 050112/B



12105MA/MG + 050112/B



| Order Code | Colour | Watts | Input | Class | | Notes |
|------------|---------------|-------|----------|-------|----|-------|
| 12105MA/W | White | 10W | 100-240V | | 20 | - |
| 12105MA/B | Black | 10W | 100-240V | | 20 | - |
| 12105M/BBS | Brushed brass | 10W | 100-240V | | 20 | - |
| 12105MA/MG | Metal grey | 10W | 100-240V | | 20 | - |

Wall & Ceiling



12105F | 10W | MR16 | GU10 | Aluminium

new
DARK LIGHT
IP20

5 YEAR




70mm

115mm



| Order Code | Colour | Watts | Input | Class |  | Notes |
|------------|------------|-------|----------|--|---|-------|
| 12105F/W | White | 10W | 100-240V |  | 30 | - |
| 12105F/MG | Metal grey | 10W | 100-240V |  | 30 | - |



12105H | 10W | MR16 | GU10 | Aluminium

new
IP20

5 YEAR




Suitable for GU10 LED lamp.


68mm

115mm



| Order Code | Colour | Watts | Input | Class |  | Notes |
|------------|--------|-------|----------|--|---|-------|
| 12105H/BS | Brass | 10W | 100-240V |  | 30 | - |

Wall & Ceiling LED




12107V | 7W | LED | Dimmable | Aluminium

new
IP20


80 CRI
TRIAC DIMMABLE
3 YEAR




LED BUILT IN
CE



79,5mm

40mm





| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class |  | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|---|---|--------|
| 12107V/W/W | White | Warm white | 3000K | 7W | 500lm | 40° | 230V |  | 20 | AC LED |
| 12107V/B/W | Black | Warm white | 3000K | 7W | 500lm | 40° | 230V |  | 20 | AC LED |



12107B | 7W | COB LED | Dimmable | Aluminium

new
IP20






| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|----|----------------------------|
| 12107B/W/W | White | Warm white | 3000K | 7W | 550lm | 36° | 230V | | 36 | Complete with 350mA driver |



12106B | 6W | COB LED | Aluminium

new
IP20





| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|----|----------------------------|
| 12106B/W/W | White | Warm white | 3000K | 6W | 480lm | 38° | 230V | | 60 | Complete with 120mA driver |
| 12106B/B/W | Black | Warm white | 3000K | 6W | 480lm | 38° | 230V | | 60 | Complete with 120mA driver |



12406B | 15W | COB LED | Aluminium

new
IP20






| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|----|----------------------------|
| 12406B/W/W | White | Warm white | 3000K | 15W | 1200lm | 38° | 230V | | 30 | Complete with 350mA driver |
| 12406B/B/W | Black | Warm white | 3000K | 15W | 1200lm | 38° | 230V | | 30 | Complete with 350mA driver |



12906B | 30W | COB LED | Aluminium

new
IP20



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|----|----------------------------|
| 12906B/W/W | White | Warm white | 3000K | 30W | 2400lm | 38° | 230V | | 12 | Complete with 700mA driver |
| 12906B/B/W | Black | Warm white | 3000K | 30W | 2400lm | 38° | 230V | | 12 | Complete with 700mA driver |



Wall & Ceiling LED



A-A⁺⁺

12108X | 8W | COB LED | Dimmable | Aluminium

new
IP20






| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | ⊞ | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|----|----------------------------|
| 12108X/W/W | White | Warm white | 3000K | 8W | 640lm | 36° | 230V | ⊞ | 36 | Complete with 350mA driver |



A-A⁺⁺

12108XA | 8W | COB LED | Dimmable | Aluminium

new
IP20






| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | ⊞ | Notes |
|-------------|--------|--------------|---------|-------|------------|------------|-------|-------|----|----------------------------|
| 12108XA/W/W | White | Warm white | 3000K | 8W | 640lm | 36° | 230V | ⊞ | 36 | Complete with 350mA driver |




A-A⁺⁺

12208XA | 2x8W | COB LED | Aluminium

new
IP20






| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | ⊞ | Notes |
|-------------|--------|--------------|---------|-------|------------|------------|----------|-------|----|----------------------------|
| 12208XA/W/W | White | Warm white | 3000K | 2x8W | 2x640lm | 36° | 100-240V | ⊞ | 24 | Complete with 350mA driver |




67472 | 2x6W | SMD 2835 | ABS + PC


new
IP65

80 CRI CE 2 YEAR LED BUILT IN

A-A




| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |  | Notes |
|------------|------------|--------------|---------|-------|------------|-------|---|---|----------------------------|
| 67472/AN/W | Anthracite | Warm white | 3000K | 2x6W | 2x500lm | 230V |  | 20 | Complete with 300mA driver |





67472A | 6W | SMD 2835 | ABS + PC


new
IP65

80 CRI CE 2 YEAR LED BUILT IN

A-A




| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |  | Notes |
|-------------|------------|--------------|---------|-------|------------|-------|---|---|----------------------------|
| 67472A/AN/W | Anthracite | Warm white | 3000K | 6W | 500lm | 230V |  | 20 | Complete with 300mA driver |





67474 | 10W | LED | Die cast


new
IP54

80 CRI CE 2 YEAR LED BUILT IN

A-A




| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |  | Notes |
|------------|------------|--------------|---------|-------|------------|-------|---|---|--------|
| 67474/AN/W | Anthracite | Warm white | 3000K | 10W | 700lm | 230V |  | 12 | AC LED |





67474A | 10W | LED | Die cast

new
IP54

80 CRI CE 2 YEAR LED BUILT IN

A-A

| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |  | Notes |
|-------------|------------|--------------|---------|-------|------------|-------|---|---|--------|
| 67474A/AN/W | Anthracite | Warm white | 3000K | 10W | 700lm | 230V |  | 12 | AC LED |

Wall & Ceiling LED



67474B | 10W | AC LED | Die cast


new
IP54

80 CRI
LED BUILT IN
CE
2 YEAR








| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | | Notes |
|-------------|------------|--------------|---------|-------|------------|-------|-------|----|--------|
| 67474B/AN/W | Anthracite | Warm white | 3000K | 10W | 700lm | 230V | ⊕ | 12 | AC LED |




65142 | 3W | LED | Aluminium

new
IP20

80 CRI
LED BUILT IN
ADJUSTABLE
CE
3 YEAR




| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | | Notes |
|------------|--------|--------------|---------|-------|------------|-------|-------|----|----------------------------|
| 65142/W/W | White | Warm white | 3000K | 3W | 160lm | 230V | ⊕ | 12 | Complete with 700mA driver |



65738 | 3W | LED | Aluminium

new
IP20

85 CRI
LED BUILT IN
ADJUSTABLE
CE
2 YEAR


| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | Notes |
|-------------|---------------|--------------|---------|-------|------------|------------|----------|-------|----|----------------------------|
| 65738/BBS/W | Brushed brass | Warm white | 3000K | 3W | 160lm | 36° | 100-240V | ⊕ | 24 | Complete with 700mA driver |



A-A⁺

new
IP20

62026A | 15W | SMD 2835 | Metal + PMMA




| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | | Notes |
|------------|--------|--------------|---------|-------|------------|-------|-------|---|----------------------|
| 62026A/W | White | Warm white | 3000K | 15W | 1050lm | 230V | | 5 | Complete with driver |



A-A⁺

new
IP20

62026B | 24W | SMD 2835 | Metal + PMMA




| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | | Notes |
|------------|--------|--------------|---------|-------|------------|-------|-------|---|----------------------|
| 62026B/W | White | Warm white | 3000K | 24W | 1700lm | 230V | | 5 | Complete with driver |



A-A⁺

new
IP20

62026C | 30W | SMD 2835 | Metal + PMMA




| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | | Notes |
|------------|--------|--------------|---------|-------|------------|-------|-------|---|----------------------|
| 62026C/W | White | Warm white | 3000K | 30W | 2150lm | 230V | | 5 | Complete with driver |



A-A⁺ 62154/W/W

new
IP20

62154 | 24W | SMD 2835 | Iron + Plastic



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | | Notes |
|------------|--------|--------------|---------|-------|------------|-------|-------|---|----------------------------|
| 62154/W/W | White | Warm white | 3000K | 24W | 1560lm | 230V | | 1 | Complete with 200mA driver |
| 62154/B/W | Black | Warm white | 3000K | 24W | 1560lm | 230V | | 1 | Complete with 200mA driver |
| 62154/C/W | Chrome | Warm white | 3000K | 24W | 1560lm | 230V | | 1 | Complete with 200mA driver |

Plafó



A-A+ 62152/W/W


new
IP20

62152 | 40W | SMD 2835 | Aluminium

Super slim.



62152/B/W



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | | Notes |
|------------|--------|--------------|---------|-------|------------|-------|-------|---|----------------------------|
| 62152/W/C | White | Cool white | 4000K | 40W | 2800lm | 230V | | 5 | Complete with 700mA driver |
| 62152/W/W | White | Warm white | 3000K | 40W | 2800lm | 230V | | 5 | Complete with 700mA driver |
| 62152/B/W | Black | Warm white | 3000K | 40W | 2800lm | 230V | | 5 | Complete with 700mA driver |



A-A+ 62152A/W/W

new
IP20

62152A | 40W | SMD 2835 | Aluminium


Super slim.



62152A/B/W



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | | Notes |
|------------|--------|--------------|---------|-------|------------|-------|-------|---|----------------------------|
| 62152A/W/C | White | Cool white | 4000K | 40W | 2800lm | 230V | | 5 | Complete with 700mA driver |
| 62152A/W/W | White | Warm white | 3000K | 40W | 2800lm | 230V | | 5 | Complete with 700mA driver |
| 62152A/B/W | Black | Warm white | 3000K | 40W | 2800lm | 230V | | 5 | Complete with 700mA driver |



A-A+ 62146/B/W

new
IP20

62146 | 55W | SMD 2835 | Iron + PS



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|---|----------------------------|
| 62146/B/W | Black | Warm white | 3000K | 55W | 4100lm | 120° | 230V | | 1 | Complete with 600mA driver |



A-A+ 62146A/B/W

new
IP20

62146A | 50W | SMD 2835 | Iron + PS




| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|---|----------------------------|
| 62146A/B/W | Black | Warm white | 3000K | 50W | 4100lm | 120° | 230V | | 1 | Complete with 480mA driver |



62134N | 32W | SMD 2835 | Metal



new
IP20



A-A⁺⁺


| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | Notes |
|--------------|---------------|--------------|---------|-------|------------|------------|-------|-------|---|----------------------------|
| 62134N/BBS/W | Brushed brass | Warm white | 3000K | 32W | 1750lm | 120° | 230V | | 1 | Complete with 750mA driver |



62144N | 50W | SMD 2835 | Metal



new
IP20



A-A⁺⁺



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | Notes |
|--------------|---------------|--------------|---------|-------|------------|------------|-------|-------|---|-----------------------------|
| 62144N/BBS/W | Brushed brass | Warm white | 3000K | 50W | 2750lm | 120° | 230V | | 1 | Complete with 1200mA driver |



67452 | 30W | SMD 2835 | Aluminium



new
DARK LIGHT
IP20




A-A⁺⁺ 67452/W/W

67452/B/W

| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | | Notes |
|------------|--------|--------------|---------|-------|------------|-------|-------|---|----------------------------|
| 67452/W/W | White | Warm white | 3000K | 30W | 2000lm | 230V | | 1 | Complete with 500mA driver |
| 67452/B/W | Black | Warm white | 3000K | 30W | 2000lm | 230V | | 1 | Complete with 500mA driver |

Pendants




63105M | 10W | MR16 | GU10 | Aluminium + plastic reflector

Reflector must be ordered separately.


new


DARK LIGHT

IP20



63105M/MG + 050112/B





1500mm
240mm
75mm



050112/W White



050112/B Black



050112/G Grey



050112/BS Brass

new



050112/ABS Antique brass



050112/GL Gold






050112/CU Copper

new



050112/DC Dark chrome

| Order Code | Colour | Watts | Input | Class |  | Notes |
|------------|---------------|-------|----------|--|---|-------|
| 63105M/BBS | Brushed brass | 10W | 100-240V |  | 12 | - |
| 63105M/MG | Metal grey | 10W | 100-240V |  | 12 | - |



63105MA | 10W | MR16 | GU10 | Aluminium + plastic reflector

Reflector must be ordered separately.

new

DARK LIGHT

IP20



63105MA/B + 050112/BS



63105MA/BBS + 050112/B



63105MA/MG + 050112/B



1500mm
400mm
75mm



050112/W White



050112/B Black



050112/G Grey



050112/BS Brass

new



050112/ABS Antique brass



050112/GL Gold








050112/CU Copper

new




050112/DC Dark chrome

| Order Code | Colour | Watts | Input | Class |  | Notes |
|-------------|---------------|-------|----------|--|---|-------|
| 63105MA/W | White | 10W | 100-240V |  | 12 | - |
| 63105MA/B | Black | 10W | 100-240V |  | 12 | - |
| 63105MA/BBS | Brushed brass | 10W | 100-240V |  | 12 | - |
| 63105MA/MG | Metal grey | 10W | 100-240V |  | 12 | - |



61076 | 40W | E27 | Metal + white fabric shade



new
IP20




Suitable for E27 LED lamp.



| Order Code | Colour | Watts | Input | Class | | Notes |
|------------|---------------|-------|----------|-------|----|--------------------|
| 61076/BBS | Brushed brass | 40W | 100-240V | Ⓛ | 12 | With ON/OFF Switch |



61078 | 40W | E27 | Metal + white fabric shade



new
IP20



Suitable for E27 LED lamp.




| Order Code | Colour | Watts | Input | Class | | Notes |
|------------|---------------|-------|----------|-------|---|--------------------|
| 61078/BBS | Brushed brass | 40W | 100-240V | Ⓛ | 8 | With ON/OFF Switch |



61082A | 3,3W | SMD LED | Touch switch | Dimmable | Die cast


Rechargeable USB socket.



new
IP65



61082A/B



Charging time: 6Hrs
Working time: 9Hrs



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Class | | Notes |
|------------|--------|--------------|---------|-------|------------|-------|---|---------------------------|
| 61082A/W | White | Warm white | 3000K | 3,3W | 200lm | Ⓛ | 6 | 2x2200mAh lithium battery |
| 61082A/B | Black | Warm white | 3000K | 3,3W | 200lm | Ⓛ | 6 | 2x2200mAh lithium battery |




61084 | 2W | SMD LED | Touch switch | 3-Step dimming | Metal + PC

Rechargeable USB socket.



new
IP44




Charging time: 4Hrs
Working time: 8Hrs



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Class | | Notes |
|------------|--------|--------------|---------|-------|------------|-------|---|-------------------------|
| 61084/B | Black | Warm white | 3000K | 2W | 80lm | Ⓛ | 8 | 2200mAh lithium battery |



Decorative




62144NB | 50W | SMD 2835 | Metal

new IP20

80 CRI CE LED BUILT IN 2 YEAR



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | Box | Notes |
|---------------|---------------|--------------|---------|-------|------------|-------|-------|-----|-----------------------------|
| 62144NB/BBS/W | Brushed brass | Warm white | 3000K | 50W | 2750lm | 230V | ⊕ | 1 | Complete with 1200mA driver |




63046A | 45W | SMD 2835 | Steel + aluminium

new IP20

80 CRI CE LED BUILT IN 2 YEAR



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | Box | Notes |
|------------|--------|--------------|---------|-------|------------|-------|-------|-----|----------------------|
| 63046A/B | Black | Warm white | 3000K | 45W | 2700lm | 230V | ⊕ | 1 | Complete with driver |




63112 | 60W | SMD 2835 | Metal + Plastic

new IP20

80 CRI CE LED BUILT IN 2 YEAR



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | Box | Notes |
|------------|--------|--------------|---------|-------|------------|-------|-------|-----|-----------------------------|
| 63112/W | White | Warm white | 3000K | 60W | 4800lm | 230V | ⊕ | 1 | Complete with 1300mA driver |



63114 | 40W | SMD 2835 | Metal + ABS

new IP20

80 CRI CE LED BUILT IN 2 YEAR

| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | Box | Notes |
|------------|--------|--------------|---------|-------|------------|-------|-------|-----|-----------------------------|
| 63114/W/W | White | Warm white | 3000K | 40W | 2400lm | 230V | ⊕ | 1 | Complete with 1000mA driver |
| 63114/B/W | Black | Warm white | 3000K | 40W | 2400lm | 230V | ⊕ | 1 | Complete with 1000mA driver |




A-A+ 65105N/BBS

65105N | 10W | MR16 | GU10 | Aluminium

new
DARK LIGHT
IP20



65105N/MG



| Order Code | Colour | Reflector | Watts | Input | Class | | Notes |
|------------|---------------|-----------|-------|----------|-------|----|-------|
| 65105N/BBS | Brushed brass | Black | 10W | 100-240V | | 24 | - |
| 65105N/MG | Metal grey | Black | 10W | 100-240V | | 24 | - |




A-A+ 65205N/BBS

65205N | 2x10W | MR16 | GU10 | Aluminium

new
DARK LIGHT
IP20



65205N/MG



| Order Code | Colour | Reflector | Watts | Input | Class | | Notes |
|------------|---------------|-----------|-------|----------|-------|----|-------|
| 65205N/BBS | Brushed brass | Black | 2x10W | 100-240V | | 12 | - |
| 65205N/MG | Metal grey | Black | 2x10W | 100-240V | | 12 | - |




A-A+ 65305N/BBS

65305N | 3x10W | MR16 | GU10 | Aluminium

new
DARK LIGHT
IP20



65305N/MG



| Order Code | Colour | Reflector | Watts | Input | Class | | Notes |
|------------|---------------|-----------|-------|----------|-------|----|-------|
| 65305N/BBS | Brushed brass | Black | 3x10W | 100-240V | | 12 | - |
| 65305N/MG | Metal grey | Black | 3x10W | 100-240V | | 12 | - |



A-A+ 65105NA/BBS


65105NA | 10W | MR16 | GU10 | Aluminium

With switch.

new
DARK LIGHT
IP20



65105NA/MG



| Order Code | Colour | Reflector | Watts | Input | Class | | Notes |
|-------------|---------------|-----------|-------|----------|-------|----|-------|
| 65105NA/BBS | Brushed brass | Black | 10W | 100-240V | | 24 | - |
| 65105NA/MG | Metal grey | Black | 10W | 100-240V | | 24 | - |

Wall Recessed & Inground




A-A++


68078 | 2W | LED | Aluminium

new
DARK LIGHT
IP20

LED BUILT IN
80 CRI
DIMMABLE
QUICK FIX
CE 3 YEAR



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | ⏏ | ⚡ | ⏏ | 📦 | Notes |
|------------|--------|--------------|---------|-------|------------|-------|-------|------|---------|------|-----|-----------------------|
| 68078/W/W | White | Warm white | 3000K | 2W | 80lm | 700mA | ⬡ | 30cm | 80x25mm | 60mm | 100 | Requires 700mA driver |





A-A++

68006N | 1W | LED | Die cast

new
DARK LIGHT
IP44

LED BUILT IN
CE 3 YEAR



| Order Code | Colour | Light Colour | CCT (K) | Watts | Input | Class | ⏏ | ⚡ | ⏏ | 📦 | Notes |
|------------|--------|--------------|---------|-------|-------|-------|------|---|------|---|----------------------------|
| 68006N/W | White | Warm white | 3000K | 1W | 230V | ⬡ | 12cm | - | 60mm | 1 | Complete with 350mA driver |




A-A++

69056A | 3W | COB LED | Aluminium

new
DARK LIGHT
IP67

80 CRI
DIMMABLE
CE
3 YEAR

LED BUILT IN
IK08



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | S | U | ↑↓ | 📦 | Notes |
|------------|-----------|--------------|---------|-------|------------|------------|--------|-------|-------|------|----------------------|----|------------------------|
| 69056A/W | Aluminium | Warm white | 3000K | 3W | 240lm | 38° | 24V DC | ◆ | 200cm | 50mm | 100mm+300mm drainage | 50 | Requires 24V DC driver |




A-A++

69056B | 7W | COB LED | Aluminium


new
DARK LIGHT
IP67

80 CRI
DIMMABLE
CE
3 YEAR

LED BUILT IN
IK08



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | S | U | ↑↓ | 📦 | Notes |
|------------|-----------|--------------|---------|-------|------------|------------|--------|-------|-------|------|----------------------|----|------------------------|
| 69056B/W | Aluminium | Warm white | 3000K | 7W | 560lm | 38° | 24V DC | ◆ | 200cm | 60mm | 100mm+300mm drainage | 36 | Requires 24V DC driver |




A-A++

69056C | 9W | COB LED | Aluminium

new
DARK LIGHT
IP67

80 CRI
DIMMABLE
CE
3 YEAR

LED BUILT IN
IK08



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | S | U | ↑↓ | 📦 | Notes |
|------------|-----------|--------------|---------|-------|------------|------------|--------|-------|-------|------|----------------------|----|------------------------|
| 69056C/W | Aluminium | Warm white | 3000K | 9W | 720lm | 38° | 24V DC | ◆ | 200cm | 70mm | 135mm+300mm drainage | 24 | Requires 24V DC driver |

Industrial & Floodlights




A-A++

7055B/RGB | 24x1,5W | LED | RGB | Aluminium

Connect maximum 5pcs.

new
IP66

LED BUILT IN
DIMMABLE
CE
5 YEAR



| Order Code | Colour | Light Colour | Watts | Beam Angle | Input | Class | S | 📦 | Notes |
|------------|--------|--------------|---------|------------|--------|-------|-------|----|------------------------|
| 7055B/RGB | Grey | RGB | 24x1,5W | 30° | 24V DC | ◆ | 100cm | 12 | Requires 24V DC driver |

Industrial & Floodlights



7028CA | 10W | SMD 2835 | Die cast + tempered glass

new

IP65

LED BUILT IN

80 CRI

ADJUSTABLE

CE

2 YEAR






| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|------|----|--------|
| 7028CA/W/C | White | Cool white | 4000K | 10W | 900lm | 110° | 230V | | 30cm | 60 | AC LED |



7028CB | 30W | SMD 2835 | Die cast + tempered glass

new

IP65

LED BUILT IN

80 CRI

ADJUSTABLE


CE

2 YEAR






| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|------|----|--------|
| 7028CB/W/C | White | Cool white | 4000K | 30W | 2700lm | 110° | 230V | | 30cm | 30 | AC LED |



7028CC | 50W | SMD 2835 | Die cast + tempered glass

new

IP65


LED BUILT IN


80 CRI

ADJUSTABLE

CE

2 YEAR



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|------|----|--------|
| 7028CC/W/C | White | Cool white | 4000K | 50W | 4500lm | 110° | 230V | | 30cm | 20 | AC LED |



7028CD | 100W | SMD 2835 | Die cast + tempered glass

new

IP65

LED BUILT IN

80 CRI

ADJUSTABLE

CE

2 YEAR







| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Beam Angle | Input | Class | | | Notes |
|------------|--------|--------------|---------|-------|------------|------------|-------|-------|------|----|--------|
| 7028CD/W/C | White | Cool white | 4000K | 100W | 9000lm | 110° | 230V | | 30cm | 10 | AC LED |



89006P | 2-6W | 350mA



new
IP66




| Order Code | Input | Power | Output | Class | Dimmable | | Notes |
|------------|-------|-------|--------|-------|----------|-----|-------|
| 89006P | 230V | 2-6W | 350mA | | NO | 100 | - |



89006PC | 1,5-6W | 500mA



new
IP66




| Order Code | Input | Power | Output | Class | Dimmable | | Notes |
|------------|-------|--------|--------|-------|----------|-----|-------|
| 89006PC | 230V | 1,5-6W | 500mA | | NO | 100 | - |



89006PA | 2-6W | 700mA



new
IP66



| Order Code | Input | Power | Output | Class | Dimmable | | Notes |
|------------|-------|-------|--------|-------|----------|-----|-------|
| 89006PA | 230V | 2-6W | 700mA | | NO | 100 | - |



89015CT | 7,5-15W | 500mA | TRIAC | Dimmable




new
IP20



| Order Code | Input | Power | Output | Class | Dimmable | | Notes |
|------------|-------|---------|--------|-------|----------|-----|-------|
| 89015CT | 230V | 7,5-15W | 500mA | | YES | 100 | - |

Lamps


9G04A | 4W | LED | E27 Decorative lamps.





LED
CE 2 YEAR

new

9G04A/A 9G04A/DC

| Order Code | Lampholder | Glass Colour | Watts | Input | Dimmable |  |
|------------|------------|--------------|-------|-------|----------|---|
| 9G04A/A | E27 | Amber | 4W | 230V | NO | 50 |
| 9G04A/DC | E27 | Dark chrome | 4W | 230V | NO | 50 |


9G04D | 4W | LED | E27 Decorative lamps.




LED
CE 2 YEAR

new

9G04D/A 9G04D/DC

| Order Code | Lampholder | Glass Colour | Watts | Input | Dimmable |  |
|------------|------------|--------------|-------|-------|----------|---|
| 9G04D/A | E27 | Amber | 4W | 230V | NO | 10 |
| 9G04D/DC | E27 | Dark chrome | 4W | 230V | NO | 10 |


9G04E | 4W | LED | E27 Decorative lamps.


LED
CE 2 YEAR


new

9G04E/A 9G04E/DC

| Order Code | Lampholder | Glass Colour | Watts | Input | Dimmable |  |
|------------|------------|--------------|-------|-------|----------|---|
| 9G04E/A | E27 | Amber | 4W | 230V | NO | 6 |
| 9G04E/DC | E27 | Dark chrome | 4W | 230V | NO | 6 |

9G04F | 4W | LED | E27 Decorative lamps.






LED
CE 2 YEAR

new

9G04F/A 9G04F/DC

| Order Code | Lampholder | Glass Colour | Watts | Input | Dimmable |  |
|------------|------------|--------------|-------|-------|----------|---|
| 9G04F/A | E27 | Amber | 4W | 230V | NO | 6 |
| 9G04F/DC | E27 | Dark chrome | 4W | 230V | NO | 6 |

9G04H | 4W | LED | E27 Decorative lamps.



9G04H/A





new




9G04H/DC






| Order Code | Lampholder | Glass Colour | Watts | Input | Dimmable |  |
|------------|------------|--------------|-------|-------|----------|---|
| 9G04H/A | E27 | Amber | 4W | 230V | NO | 25 |
| 9G04H/DC | E27 | Dark chrome | 4W | 230V | NO | 25 |


9G08B | 8W | LED | E27 Decorative lamps.




9G08B/A






new




9G08B/DC






| Order Code | Lampholder | Glass Colour | Watts | Input | Dimmable |  |
|------------|------------|--------------|-------|-------|----------|---|
| 9G08B/A | E27 | Amber | 8W | 230V | NO | 6 |
| 9G08B/DC | E27 | Dark chrome | 8W | 230V | NO | 6 |


9G08C | 8W | LED | E27 Decorative lamps.




9G08C/A






new




9G08C/DC






| Order Code | Lampholder | Glass Colour | Watts | Input | Dimmable |  |
|------------|------------|--------------|-------|-------|----------|---|
| 9G08C/A | E27 | Amber | 8W | 230V | NO | 6 |
| 9G08C/DC | E27 | Dark chrome | 8W | 230V | NO | 6 |


9G08D | 8W | LED | E27 Decorative lamps.




9G08D/A






new






9G08D/DC



| Order Code | Lampholder | Glass Colour | Watts | Input | Dimmable |  |
|------------|------------|--------------|-------|-------|----------|---|
| 9G08D/A | E27 | Amber | 8W | 230V | NO | 6 |
| 9G08D/DC | E27 | Dark chrome | 8W | 230V | NO | 6 |

Lamps


9G08E | 8W | LED | E27 Decorative lamps.


LED
CE 2 YEAR

new

9G08E/A 9G08E/DC

| Order Code | Lampholder | Glass Colour | Watts | Input | Dimmable |  |
|------------|------------|--------------|-------|-------|----------|---|
| 9G08E/A | E27 | Amber | 8W | 230V | NO | 6 |
| 9G08E/DC | E27 | Dark chrome | 8W | 230V | NO | 6 |

9G08K | 8W | LED | E27 Decorative lamps.









LED
CE 2 YEAR

new

9G08K/A 9G08K/DC

| Order Code | Lampholder | Glass Colour | Watts | Input | Dimmable |  |
|------------|------------|--------------|-------|-------|----------|---|
| 9G08K/A | E27 | Amber | 8W | 230V | NO | 6 |
| 9G08K/DC | E27 | Dark chrome | 8W | 230V | NO | 6 |

9G02H/RGB | 2W | LED | E27 Decorative lamps.

LED
CE 2 YEAR

new

9G02H/RGB

| Order Code | Lampholder | Light Colour | Watts | Input | Dimmable |  |
|------------|------------|--------------|-------|-------|----------|---|
| 9G02H/RGB | E27 | RGB | 2W | 230V | NO | 25 |



050180 | Fast cable connector | 32A | Max. 4mm wires



new




0800BA | Waterproof connection box 1 IN / 1 OUT | 16A | 450V | Cable diameter 0,5-1,5mm



new

IP67



0800C | Waterproof connection box 2 IN / 2 OUT | 24A | 450V | Cable diameter 4-14mm



new

IP67

